Wednesday, 22/10/2008 11:56:20 AM

User

Julie Dawson

## **Process Sheet**

Customer

: CU-DAR001 Dart Helicopters Services

Job Number

**Estimate Number** 

: 42807 : 10178

P.O. Number

This Issue

: 22/10/2008 Prsht Rev.

First Issue

: NC

: 11

S.O. No. :

Type

: MACHINED PARTS

: 35919 Previous Run

Written By

Checked & Approved By

Comment

est E 06.12.11

ecn 836

Make in Cobra KJ

EC

**Due Date** 

: PLUG

: D25941 **Part Number** 

**Drawing Number** 

**Drawing Name** 

: D2594 REV C

: N/A **Project Number** 

**Drawing Revision** 

Material

: 06/01/2009

Qty:

200 Um:

Each

**Additional Product** 

Job Number:



Seq. #:

1.0

Machine Or Operation:

M6061T6R0625

Description:

6061-T6 Round Bar .625"

Comment: Qtv.:

0.0547 f(s)/Unit Total: 10.9410 f(s)

Material: 5052-H32 (QQ-A-225/7) or 6061-T6 (QQ-A-225/8)

1100-0 (QQ-A-225/1) Ø0.625" Rod

(M5052H32R0.625) or (M6061T6R0.625)

Batch

M108048211

M08348 2 3A

2.0

HARDINGE

HARDINGE CNC LATHE SMALL



Comment: HARDINGE CNC LATHE SMALL

1-Make as per Dwg D2594-1 and Folio FA262.

2-Break all sharp edges 0.010 max.

3.0 QC2



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

QC8

SECOND CHECK

Comment: SECOND CHECK

\*\*HAND FINISHING

HAND FINISHING RESOURCE #1

Comment: HAND FINISHING RESOURCE #1

Acid etch and alodine as per QSI 005 4.1

Dart Ae	rospace Li	td							
W/O:			W	ORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE		ANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No	:	PAR #:	Fault Cat	egory: N	CR: Yes	No DQ	A:	Date:	
					QA: N	/C Close	d:	_ Date: _	
NCR:			WORK ORE	DER NON-CONFORMANC	E (NCF	₹)			
		Description of NC		Corrective Action Section B		Verific	ation	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Secti		Chief Eng	QC Inspector
							-		
					į		-		

NOTE: Date & initial all entries

Date: Wednesday, 22/10/2008 11:56:20 AM tiser: Julie Dawson **Process Sheet Drawing Name: PLUG** Customer: CU-DAR001 Dart Helicopters Services Job Number: 42807 Part Number: D25941 Job Number: Seq. #: Machine Or Operation: Description: POWDER COATING POWDER COATING 6.0 102316 1:30 Comment: POWDER COATING 3700 Powder Coat \*\*SANDTEX GREEN\*\* (Ref. 4.3.5.1) per Dart QSI 005 4.3 (only larger dia. section necessary) INSPECT POWDER COAT/CHEMICAL CONVERSION 7.0 QC3 Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION 8.0 PACKAGING 1 PACKAGING RESOURCE #1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: FINAL INSPECTION/W/O RELEASE 9.0 QC21 Comment: FINAL INSPECTION/W/O RELEASE Job Completion u 08.00.31

# Dart Aerospace Ltd

W/O:		WORK ORDER CHAN	GES				
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No		DAD # Equit Category	NCD: Voc	No DO	Α.	Data	

QA: N/C Closed: \_\_\_\_ Date: \_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC		Corrective Action Section B		Verification	Approval Chief Eng	Annroyal		
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C		Approval QC Inspector		
		4.4								

NOTE: Date & initial all entries

DART AEROSPACE LTD

Description: Plug

Part Number: D2594-1

Inspection Dwg: D2594 Rev: C

Page 1 of 1

## FIRST ARTICLE INSPECTION CHECKLIST

X First Article	Prototype
-----------------	-----------

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
0.060	+/-0.005	-059				
0.500	+/-0.010					
Ø0.625	+/-0.010	0,625				
Ø0.430	+0.000/-0.002	0.4295				
0.090	+0.000/-0.002	.088				
0.045	+0.000/-0.002	.044	1			
					,	
-						
· ·-·						
<del>.</del> .					* 16/4 W.E.	
					·	


Measured by:	Audited by:	JL	Prototype Approval:	N/A
Date: 6/10/23	Date:	08/10/24	Date:	

Rev	Date	Change	Revised by	Approved
Α	04.01.21	New Issue	KJ/RF	
В	06.12.20	Dwg Rev. updated	KJ/JLM 1/A	
С	08.07.23	Diameter symbol added	KJ/DD ON	X


016



				· ·
DESIG	N #	DRAWN BY		OSPACE LTD , ONTARIO, CANADA
CHECK	KED	APPROVED	D2594	REV. C SHEET 1 OF 1
DATE	06.1	1.20	PLUG	SCALE 2:1
REV		DATE	DESC	CRIPTION



		·
REV	DATE	DESCRIPTION
A	96.09.16	NEW-ISSUE
В	97.03.15	ADD GROOVE AND O-RING
С	06.11.20	ADD PWDR COAT; ADD MS P/N TO D2594-3; ADD AMS SPECS; ADD TOLERANCE NOTE



### **D2594-1 PLUG**

D2594-1 PLUG NOTES:

1) MATERIAL: ALUMINUM 5052-H32 ROUND BAR PER QQ-A-225/7 (REF DART SPEC M5052H32R) OR ALUMINUM 6061-T6/T651/T6510/T6511/T62 ROUND BAR PER QQ-A-225/8 OR QQ-A-200/8 OR AMS 4117/4128/4115/4116/4160 (REF DART SPEC M6061T6R)
2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1

POWDER COAT SPECIFIED FACES WHITE GLOSS (4.3.5.1) PER DART QSI 005 4.3 
3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
4) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED


5) BREAK ALL SHARP EDGES TO 0.010 MAX

**D2594-3 O-RING NOTES:** 

1) 5/16 ID, 7/16 OD, 1/16 WIDTH 2) POSSIBLE SUPPLIER P/N: PARKER 2-011 OR MS28775-011 /C\

PARTS LIST:

QTY	P/N	DESCRIPTION
Х	D2594	PLUG ASSEMBLY
1	D2594-1	PLUG
1	D2594-3	O-RING



**D2594 PLUG ASSEMBL**